

# WHISPERFLOXF<sup>®</sup>

## HIGH PERFORMANCE PUMP

High capacity, low maintenance and maximum performance.





## HIGH PERFORMANCE, HIGH-CAPACITY.

The WhisperFloXF® High Performance Pump brings best-in-class performance, near-silent operation and ultra-reliability to high-capacity pool pumps.

Seals made of oxidation-resistant EPDM rubber for longer-lasting, leak-resistant operation.

TEFC/Super-Duty motor options provide superior performance and longevity.



# DEMAND MORE. INSIST ON THE WHISPERFLOXF PUMP.

## THE POWER TO DO MORE

The WhisperFloXF pump is a hydraulically advanced, high-capacity pump with outstanding performance from both a maximum-flow and mean-slow perspective, it's perfectly suited for residential pools with water features such as slides and waterfalls, as well as commercial pools.



Includes union connectors—connects directly to 2.5" or 3" plumbing with ease.



Extra-large basket needs less emptying; smooth surface allows easy debris removal.

Proprietary hydraulic isolator satisfies the competing priorities of smooth priming and optimal operation.

### Union connectors

Connect directly to 2.5" or 3" plumbing.

### Drop-in replacement

Drop-in replacement for all WhisperFlo® Pump models. Simple replacement for Challenger® High Pressure and High Flow Pumps.\*

### See-through lid

Makes basket inspection fast and easy.

### Cam and Ramp™ Lid

User friendly lid removes easily and locks in place quickly with a quarter-turn.

### External port threads and tool-free unions

Requires only hand tightening for a perfect fit.

### Easy-carry handle

A back saver at the equipment pad.

\*Riser base required for Challenger pump replacements—Part # 400012 available separately.

# WHISPERFLOXF<sup>®</sup>

## HIGH PERFORMANCE PUMP



### KEY FEATURES

#### Cam and Ramp™ Lid

Makes inspection and cleaning simple and quick

#### Built-in handle

For easy installation

#### Union connectors

2.5" or 3" union connectors included


#### Oversized strainer basket

Extends time between cleanings

#### TEFC/Super-Duty motor options

Provide superior performance and longevity

### PERFORMANCE CURVES



Performance Curve	Model	Description
A	XFE-20	5 HP, Single Speed Full Rated
A	XFET-20	5 HP, TEFC Super-Duty Single Speed
G	XFK-20	5 HP, 3-Phase, Super-Duty Motor
B	XFE-12	3 HP, Single Speed Full Rated
B, E	XFDS-12	3 HP, 2-Speed Full Rated
B	XFET-12	3 HP, TEFC Super-Duty Single Speed
H	XFK-12	3 HP, 3-Phase, Super-Duty Motor
C	XF-12	3 HP, Single Speed Full Rated
D	XFE-8	2 HP, Single Speed Full Rated
D	XFET-8	2 HP, TEFC Super-Duty Single Speed
D	XF-8	2 HP, Single Speed Full Rated
D, F	XFDS-8	2 HP, 2-Speed Full Rated
D	XFE-30	2.5 HP, Single Speed Up Rated
D	XF-30	2.5 HP, Single Speed Up Rated
D, F	XFDS-30	2.5 HP, 2-Speed, Up Rated
I	XFK-8	2 HP, 3-Phase, Super-Duty Motor

*Pumps and replacement motors that are single speed and one (1) Total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.*



1620 Hawkins Ave | Sanford, NC 27330 | United States | 800.831.7133 | pentair.com

All Pentair trademarks and logos are owned by Pentair plc. WhisperFloXF<sup>®</sup>, WhisperFlo<sup>®</sup>, Challenger<sup>®</sup> and Cam and Ramp™ are trademarks and/or registered trademarks of Pentair Water Pool and Spa, Inc. and/or its affiliated companies in the United States and/or other countries. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice.

Pentair is an equal opportunity employer.

PI-108 2/19 ©2019 Pentair Water Pool and Spa, Inc. All rights reserved.